Technical Update of the Caloosahatchee Estuary Water Reservation

Water Resources Advisory Commission April 7, 2011

Peter Doering, Director Coastal Ecosystem Sciences Division Everglades Restoration and Capital Projects

sfwmd.gov

Water Reservation for the Caloosahatchee Estuary

 A water reservation will prevent consumptive use of water needed for the protection of fish and wildlife in the Caloosahatchee **Estuary**



Steps to Develop Water Reservation

Key Steps in Rule Development Process

Obtain Gov. Board approval to initiate Rule Development

Document methods and results in Draft Technical document

This document

Conduct Independent Scientific Peer Review of Technical Document

Develop Draft Rule Language based on findings of Technical Document

Conduct Rule Development Workshops

> Gov. Board Adopts Rule

Caloosahatchee Estuary

Hydrologic Issues

- Caloosahatchee Estuary experiences widely fluctuating salinity gradients due to variable freshwater inflows
 - Too much freshwater in the wet season causes adverse impacts to downstream marine organisms
 - Lack of freshwater in the dry season allows intrusion of saltwater, adversely impacting brackish water organisms in the upper estuary



Caloosahatchee Estuary (Cont.)

Hydrologic Issues

- Caloosahatchee River (C-43) West Basin Storage Reservoir Project Phase 1 Project Implementation Report (PIR) purpose:
 - Improve the salinity balance in estuary
 - Attenuate peak flows during the wet season
 - Provide flows to prevent significant harm during the dry season



Technical Approach to Support Water Reservation

- Prepare Draft Technical Report
- Conduct Scientific Peer Review
 - Determine if the proposed linkage between hydrology and water for fish and wildlife is scientifically sound
 - Based upon best available information
 - All data, methods, assumptions and models subject to review




Technical Approach to Support Water Reservation (Cont.)

- Identify available sources of inflows which contribute to the protection of fish and wildlife
- Sources include
 - The CERP project and existing flows from the basin
 - Timing and distribution




Overview of Caloosahatchee Watershed



- 1. Identify areas and habitats sensitive to sources of water
- 2. Identify fish and wildlife resources to be protected
- 3. Identify <u>performance measures</u> and link to <u>flow</u> <u>target</u>
- 4. Quantify timing and distribution of water that contribute to meeting flow target
- 5. Identify quantity of water to be reserved to protect fish and wildlife

- Identify areas and habitat sensitive to sources of water
 - Upper Estuary: Low Salinity Zone and Tape Grass
 - Lower Estuary:
 Oyster Reefs and
 Marine Seagrasses
 - Outer Estuary: Marine Seagrasses




Upper Estuary
Tape Grass

Lower Estuary
Oysters

Lower Estuary
Shoal Grass

San Carlos Bay Turtle Grass

Step 1: Identify habitat and areas sensitive to sources of water




- 2. Identify <u>fish and wildlife</u> resources to be protected
 - Upper Estuary
 - Tape grass
 - Early life stages of fish
 - Lower Estuary
 - Oysters and Seagrass
 - Outer Estuary
 - Seagrass







- 2. Identify <u>fish and wildlife</u> resources to be protected
 - Other additional resources
 - Sawfish
 - Bull sharks
 - Selected juvenile fin and shell fish
 - Performance measures for these resources may apply to more than one area or the estuary as a whole





- 3. Identify <u>performance measures</u> and link to <u>flow target</u>
 - Assess sensitivity of biota to flow and key factors related to flow such as salinity, light availability and other factors
 - Tape grass model integrates variables (light, temperature, salinity) important to growth and sustainability
 - Oyster model predicts response to salinity
 - Upper estuarine nursery utilization by larval fish as a function of flow (Florida Gulf Coast University and SFWMD data)

- 3. Identify <u>performance measures</u> and link to <u>flow</u> <u>target</u>
 - Assess sensitivity of biota to flow and key factors related to flow such as salinity, light availability and other factors
 - Reviewed available literature on salinity and site preferences of sawfish in the Caloosahatchee
 - Reviewing literature on the salinity preferences of juvenile bull sharks in the Caloosahatchee
 - Evaluating independent fisheries monitoring data from the Caloosahatchee (Florida Wildlife Research Institute)

- 3. Identify <u>performance measures</u> and link to <u>flow target</u>
 - Use hydrologic and ecologic models with other information to identify flow target time series
 - Perform evaluations to confirm flow target does not detrimentally affect downstream biota
 - Incorporate return frequency
 - Identify target protective of fish and wildlife

- Quantify water timing and distribution that contributes to meeting flow target
 - Compare fish and wildlife target to water available from the basin and project
- Identify quantity of water available to be reserved to protect fish and wildlife



Current Schedule

- Complete Draft Technical Report: Fall 2011
- Conduct Scientific Peer Review: twomonth process

